Love Your Gut with: <u>ion oen</u>

Gut Microbiota and You

PACs found in cranberries. cranberry juice and certain cranberry supplements have anti-adhesion effects that help gut and urinary tract microbiota.6,9

Gut microbiota are key to many aspects of human health and are involved in numerous functions that are essential for our survival.¹ A typical Western diet, which often includes processed foods, high amounts of fat and low amounts of fiber, is connected to disruption in the gut microbiota and promotion of inflammation. A healthful diet with increased fiber and unsaturated fats helps promote healthy gut microbiota.^{2,3,4}

The Con

CRANBERRY INSTITUTE

A healthy diet can help maintain a beneficial population of gut microbiota to help protect the body against pathogens, assist in immunity, inhibit inflammatory lipopolysaccharide (LPS) production and produce healthful short-chain fatty acids (SCFA).^{4,5} SCFA provide energy to intestinal cells to strengthen the gut barrier and prevent leaky gut, helping to inhibit LPS from stimulating the immune system and causing inflammation, which can lead to a variety of chronic diseases.⁶

In fact, gut microbiota changes can be seen within days of changing the diet. What we eat shapes our gut microbiota. Choosing healthy foods elicits positive changes, including increases in the abundance and diversity of gut microbiota.¹

According to the 2020-2025 **Dietary Guidelines for Americans**, more than 80% of Americans don't consume enough fruit.

The goal is to have about two cups of fruit daily, mostly as whole fruit. Meet your fruit intake goals and reap the many health benefits of cranberries by tossing dried cranberries into pasta and salads, having a glass of cranberry juice anytime, or using fresh or frozen cranberries in baked goods, cranberry salsa or smoothies.⁷



Love Your Gut with:

The CRANBERRY N S T

Cranberries Help Gut Microbiota

Cranberries contain fiber & other healthful compounds that help gut microbiota grow and flourish.

Anti-Adhesion Effects of PACs in Cranberries

Significant amount of the research on much of the research on proanthocyanidins (PACs) found in cranberries has focused on their anti-adhesion effects that benefit urinary tract health. Biofilm formation is an early step in the development of an infection. PACs, and possibly flavonols, found in cranberries act to prevent biofilm formation, an antimicrobial action which benefits gut and urinary tract microbiota.6

Dried Cranberries Benefit Gut Bacteria

A small study of 10 subjects found that sweetened dried cranberries had a positive impact on the natural bacteria in the gut. Sixty percent of the participants had an increase in Bacteroidetes, a category of healthy bacteria, and 70% had a reduction in the Firmicutes to Bacteroidetes ratio indicating an increase in Bacteroidetes and a decrease in Firmicutes, or both.⁸ A high level of Firmicutes is not healthy and can contribute to obesity. SCFAs (short-chain fatty acids) have benefits including decreasing the Firmicutes to Bacteroidetes ratio.⁹

Emerging Evidence About Cranberry Oligosaccharides

Prebiotics are one of the most well studied dietary factors linked to improvements in gut microbiota, and cranberries supply oligosaccharides, carbohydrates found in the berries, that are thought to exert prebiotic effects on both gut and urinary tract microbiota.4,10 Stay tuned for more research on this connection.

Cranberries under the microscope – the research continues.

Exciting new research has proposed that the dynamic effects of various cranberry compounds and their interactions with gut microbiota may lead to a wide range of health benefits.¹⁰

Cranberries Are Fiber-Full

Cranberries are a good source of fiber and can help you meet your daily fiber goals. One cup of chopped cranberries supplies 5 g fiber, and ¼ cup of dried, sweetened cranberries supplies 2 g fiber.¹¹

Adequate Fiber Intake Guidelines

- Age 31 to 50: 38 grams per day for men and 25 grams per day for women
- Age 50 and over: 30 grams per day for men and 21 grams per day for women.¹²

PACs in Cranberry Supplements

Cranberry supplements can be one easy way to get PACs. Be sure to check with your health care provider before starting any new supplement. For certain supplements, the content varies from what is stated on the label. Due to this variability, consumers can look for independent verification of supplement identity, quantity and quality to be sure their cranberry supplement supplies what the label states.^{10,13} NSF International, a public health and safety organization, provides independent examination and certification for supplement manufacturers.¹⁴

Cranberry Compounds Can Help Reduce H. pylori Rates

In the US, 30 million people can expect to be infected with *H. pylori*.¹⁵¹⁶

A randomized, placebo-controlled trial published in The Journal of Gastroenterology and Hepatology, a top tier international gastroenterology journal, found that a twice daily dose of 44 mg PAC in cranberry juice resulted in 20% reduction in *H. pylori* infection rate in Chinese adults when compared to lowe amounts of juice and a placebo.

While more research is needed, a half cup serving of 100% pure cranberry juice contains 44 mg PAC, and when taken twice daily in the morning and evening, should be equivalent to the levels in the clinical study needed to achieve H. pylori suppression.1

Dr. Amy Howell's Webinar on Cranberries and H. pylori Suppression

Dr. Howell is an associate research scientist at the Marucci Center for Blueberry and Cranberry Research at Rutgers University. Her work includes isolating natural products from cranberries that benefit health.

Dr. Amy Howell's Webinar on Cranberries and H. pylori Suppression

- Valdes AM, Walter J, Segal E, Spector TD. Role of the gut microbiota in nutrition and health. British Medical Journal 2018; 13:361:42179. doi: 10.1136/bmj.k2179.
 Estrada JA, Contreras I. Nutritional modulation of immune and central nervous system homeostasis: the role of die in development of neuroinflammation and neurological disease. Nutrients 2019; 11. doi:10.3390/nu11051076
 Wolters M. Ahrens J, Romani-Perez M, Watkins C. Sarrazo-Pozo C, et al. Polyphenol extracts interfere with bacterial lippolysaccharide in vitro and decrease postprandial endotoxemia in human volunteers. Journal of Functional Foods 2016; 26:466–417. http://dx.oi.org/10.1016/j.jff.2016.08.011
 Biumberg J, Basu A, Kneger G, Guid AJ, Shamruganayagam D, Red JD. Effect of swettened dried carabientes of the carabierry consumption on utimicry toking of the Carabierry Mealt Negative Conference 2016. Sci Mark A. Neto Col. et al. Impact of carabierres on utimicry biolesci and carabierres 2019; 21. Valdes 24. Http://dx.oi.org/10.1016/j.jff.2016.08.011
 Biumberg J, Basu A, Kneger G, Kuud J, Shamruganayagam D, Red JD. Effect of swettened dried carabierres consumption on utimary proteome and fecal introblome in healthy human subjects. MOICS: A Journal of Integrative Biology 2018; 22(2):145-153. doi: 10.3996/mil.101.783
 Bokines K, Krueger C, Meud J, Shamruganayagam D, Red JD. Effect of swettened dried carabierus environment, det and diseases. Microorganisms 2019; 71(4). doi: 10.3390/millo1178
 Bokines K, Krueger C, Meud J, Shamruganayagam D, Red JD. Shattasi the healthy qut incrobiate composition? A changing ecosystem across age, environment, det, and diseases. Microorganisms 2019; 71(4). doi: 10.3390/millo1178
 Bokines K, Krueger G, Meud J, Shamruganayana P, Red JD. Delay T Meter Kenger JD. Beak Krueger G, Meud J, Shamruganayana P, Red JD. Coleman GM. Krees Kenger G, Meud J, Shamruganayana P, Red JD. Coleman GM. Krees Kenger G, Meud J, Shamruganayanaya P,